APPENDIX I
DEFINITIONS

BEST TRACK - A subjectively smoothed path, versus a precise and very erratic fix-to-fix path, used to represent tropical cyclone movement.

CENTER - The vertical axis or core of a tropical cyclone. Usually determined by cloud vorticity patterns, wind and/or pressure distribution.

EPHEMERIS - Position of a body (satellite) in space as a function of time; used for gridding satellite imagery. Since ephemeris gridding is based solely on the predicted position of the satellite, it is susceptible to errors from vehicle wobble, orbital eccentricity and the oblateness of the Earth.

EXPLOSIVE DEEPENING - A decrease in the minimum sea-level pressure of a tropical cyclone of 2.5 mb/hr for 12 hours or 5.0 mb/hr for six hours (Holliday and Thompson, 1979).

EXTRATROPICAL - A term used in warnings and tropical summaries to indicate that a cyclone has lost its "tropical" characteristics. The term implies both poleward displacement from the tropics and the conversion of the cyclone's primary energy source from the release of latent heat of condensation to baroclinic processes. It is important to note that cyclones can become extratropical and still maintain winds of typhoon or storm force.

EYE - The central area of a tropical cyclone when it is more than half surrounded by wall cloud.

FUJIWHARA EFFECT - A binary interaction where tropical cyclones within about 750 nm (1389 km) of each other begin to rotate about one another. When tropical cyclones are within about 400 nm (741 km) of each other, they may also begin to be drawn closer to one another (Brand, 1970) (Dong and Neumann, 1983).

INTENSITY - The maximum sustained surface wind speed, typically within one degree of the center of a tropical cyclone.

MAXIMUM SUSTAINED WIND - The highest surface wind speed averaged over a one-minute period of time. (Peak gusts over water average 20 to 25 percent higher than sustained winds.)

RAPID DEEPENING - A decrease in the minimum sea-level pressure of a tropical cyclone of 1.25 mb/hr for 24-hours (Holliday and Thompson, 1979).

RECURVATURE - The turning of a tropical cyclone from an initial path toward the west and poleward to east and poleward.

SIGNIFICANT TROPICAL CYCLONE - A tropical cyclone becomes "significant" with the issuance of the first numbered warning by the responsible warning agency.

SIZE - The areal extent of a tropical cyclone, usually measured radially outward from the center to the outermost closed isobar.

STRENGTH - The average wind speed of the surrounding low-level wind flow, usually measured within one to three degrees of the center of a tropical cyclone.

SUBTROPICAL CYCLONE - a low pressure system that forms over the ocean in the subtropics and has some characteristics of a tropical circulation, but not a central dense overcast. Although of upper cold low or low-level baroclinic origins, the system can transition to a tropical cyclone.

SUPER TYPHOON - A typhoon with maximum sustained surface winds of 130 kt (67 m/sec) or greater.

TROPICAL CYCLONE - A non-frontal, migratory low-pressure system, usually of synoptic scale, originating over tropical or subtropical waters and having a definite organized circulation.

TROPICAL DEPRESSION - A tropical cyclone with maximum sustained surface winds of 33 kt (17 m/sec) or less.

TROPICAL DISTURBANCE - A discrete system of apparently organized convection, generally 100 to 300 nm (185 to 556 km) in diameter, originating in the tropics or subtropics, having a non-frontal, migratory character and having maintained its identity for 12- to 24-hours. It may or may not be associated with a detectable perturbation of the wind field. It is the basic generic designation which, in successive stages of development, may be classified as a Tropical Depression, Tropical Storm, Typhoon or Super Typhoon.

TROPICAL STORM - A tropical cyclone with maximum sustained surface winds in the range of 34 to 63 kt (17 to 32 m/sec) inclusive.

TROPICAL UPPER-TROPOSPHERIC TROUGH (TUTT) - A dominant climatological system and a daily upper-level synoptic feature of the summer season, over the tropical North Atlantic, North Pacific and South Pacific Oceans (Sadler, 1979).

TYPHOON (HURRICANE) - A tropical cyclone with maximum sustained surface winds of 64 to 129 kt (33 to 66 m/sec). West of 180 degrees longitude they are called typhoons and east of 180 degrees longitude hurricanes.

WALL CLOUD - An organized band of cumuliform clouds that immediately surrounds the central area of a tropical cyclone. The wall cloud may entirely enclose or partially surround the center.

APPENDIX II

NAMES FOR TROPICAL CYCLONES

Column 1	Column 2	Column 3	Column 4
ANDY	ABBY	ALEX	AGNES
BRENDA	BEN	BETTY	BILL
CECIL	CARMEN	CARY	CLARA
DOT	DOM	DINAH	DOYLE
ELLIS	ELLEN	ED	ELSIE
FAYE	FORREST	FREDA	FABIAN
GORDON	GEORGIA	GERALD	GAY
HOPE	HERBERT	HOLLY	HAL
IRVING	IDA	IAN	IRMA
JUDY	JOE	JUNE	JEFF
KEN	KIM	KELLY	KIT
LOLA	LEX	LYNN	LEE
MAC	MARGE	MAURY	MAMIE
NANCY	NORRIS	NINA	NELSON
OWEN	ORCHID	OGDEN	ODESSA
PEGGY	PERCY	PHYLLIS	PAT
ROGER	RUTH	ROY	RUBY
SARAH	SPERRY	SUSAN	SKIP
TIP	THELMA	THAD	TESS
VERA	VERNON	VANESSA	VAL
WAYNE	WYNNE	WARREN	WINONA

NOTE: Names are assigned in rotation and alphabetically. When the last name in Column 4 (WINONA) has been used, the sequence will begin again with the first name in Column 1 (ANDY).

SOURCE: CINCPACINST 3140.1S

APPENDIX III

REFERENCES

Allen, R. L., 1984: COSMOS: CYCLOPS Objective Steering Model Output Statistics. Postprints, 15th Conference on Hurricanes and Tropical Meteorology. Miami, Fl., January 9-13, 1984, pp. 14-20.

Atkinson, G. D., and C. R. Holliday, 1977: Tropical Cyclone Minimum Sea-Level Pressure and Maximum Sustained Wind Relationship for theWestern North Pacific. Monthly Weather Review, Vol. 105, No. 4, pp. 421-427 (also FLEWEACEN TECH NOTE: JTWC 75-1).

Bao, C., 1981: Forecasting Typhoon Movement Based on Satellist Cloud Maps. Report UHMET 81-03, University of Hawaii, 26 pp.

Brand, S., 1970: Interaction of Binary Tropical Cyclones of the Western North Pacific Ocean. Journal of Applied Meteorology , Vol. 9, pp. 433-441.

Chen, L., and W. M. Gray, 1985: Global View of the Upper-Level Outflow Patterns Associated with Tropical Cyclone Intensity Change During FGGE. Atmospheric Science Paper 392, NASA NAG 5-299, Department of Atmospheric Science, Colorado State University, Fort Collins, Colorado, 106 pp.

Diercks, J. M., R. C. Weir and M. K. Kopper, 1982: Forecast Verification and Reconnaissance Data for Southern Hemisphere Tropical Cyclones (July 1980 through June 1982). NAVOCEANCOMCEN/JTWC TECH NOTE 82-1, 77 pp.

Dong, K., and C. J. Neumann, 1983: On the Relative Motion of Binary Tropical Cyclones. Monthly Weather Review, Vol. 111, pp. 945-953.

Dunnavan, G. M., 1981: Forecasting Intense Tropical Cyclones Using 700 mb Equivalent Potential Temperature and Central Sea-Level Pressure. NAVOCEANCOMCEN/JTWC TECH NOTE 81-1, 12 pp.

Dvorak, V. F., 1984: Tropical Cyclone Intensity Analysis Using Satellite Data. NOAA Technical Report NESDIS 11, U. S. Department of Commerce, National Oceanic and Atmospheric Administration, National Earth Satellite Service, Washington, D. C., 20233, 46 pp.

Gray, W. M., 1979: Tropical Cyclone Origin, Movement and Intensity Characteristics Based on Data Compositing Techniques. NAVENVPREDRSCHFAC Contractor Report CR 79-06, 124 pp.

Herbert, P. H. and Poteat, K. O., 1975: A Satellite Classification Technique for Subtropical Cyclones. NOAA Technical Memorandum NWS SR-83, 25 pp.

Hodur, R. M. and S. D. Burk, 1978: The Fleet Numerical Weather Central Tropical Cyclone Model: Comparison of Cyclonic and One-Way Interactive Boundary Conditions. Monthly Weather Review, Vol. 106, pp. 1665-1671.

Holland, G. R., 1980: An Analytical Model of Wind and Pressure Profiles in Hurricanes. Monthly Weather Review, Vol. 108, No. 8, pp. 1212-1218.

Holland, G. R., 1983: Tropical Cyclone Motion; Environmental Interaction, plus a Beta Effect. Journal of Atmospheric Science, Vol. 40, pp. 328-342.

Holliday, C. R. and A. H. Thompson, 1979: Climatological Characteristics of Rapidly Intensifying Typhoons. Monthly Weather Review, Vol. 107, pp. 1022-1034.

Hovmöller, E., 1949: The Trough-and-Ridge Diagrams. Tellus, Vol. 1, pp. 62-66.

Huntley, J. E., 1980: Tropical Cyclone Wind Radius Program. Annual Tropical Cyclone Report, 1980, p121.

Matsumoto, C. R., 1984: A Statistical Method for One to Three Day Tropical Cyclone Track Prediction. Atmospheric Science Paper 379, NEPRF N00014-83-K-002, NSF ATM-8214041, Department of Atmospheric Science, Colorado State University, Fort Collins, Colorado, 201 pp.

Renard, R. J., 1968: Forecasting the Motion of Tropical Cyclones Using a Numerically Derived Steering Current and its Bias. Monthly Weather Review, Vol. 96, No. 7, pp. 453-469.

Renard, R. J., S. G. Calgon, M. J. Daley and S. K. Rinard, 1973: Forecasting the Motion of North Atlantic Tropical Cyclones by the MOHATT Scheme. Monthly Weather Review, Vol. 101, No. 3, pp. 206-214.

Sadler, J. C., 1979: Tropical Cyclone Initiation by the Upper-Tropospheric Trough. Naval Environmental Prediction Research Facility Technical Paper No. 2-76, 103 pp.

Sadler, J. C., M. A. Lander, A. M. Hori and L. K. Oda, 1987: Tropical Marine Climatic Atlas, Volume II Pacific Ocean. University of Hawaii Report No. UHMET 87-02, 27 pp.

Sikora, C. R., 1976: A Reevaluation of the Changes in Speed and Intensity of Tropical Cyclones Crossing the Philippines, FLEWEACEN TECH NOTE: JTWC 76-2, 11 pp.

Tsui, T. L., 1984: A Selection Technique for Tropical Cyclone Objective Forecast Aids. Postprints, AMS 15th Conference on Hurricane and Tropical Meteorology, Miami, Fla., pp 40-44.

Tsui, T. L. and R. J. Miller, 1986: Evaluation of JTWC Tropical Cyclone Objective Forecast Aids (1978-85). Naval Environmental Prediction Research Facility Technical Report, TR 86-05, 44 pp.

Weatherford, C. L., 1985: Typhoon Structure Variability. Atmospheric Science Paper No. 391, NSF/NOAA-ATM 8419116, Department of Atmospheric Science, Colorado State University, Fort Collins, Colo., 77 pp.

Weir, R. C., 1982: Predicting the Acceleration of Northward-moving Tropical Cyclones using Upper-Tropospheric Winds. NAVOCEANCOMCEN/JTWC TECH NOTE 82-2, 40 pp.

Wirfel, W. P. and S. A. Sandgathe, 1986: Forecast Verification and Reconnaissance Data for Southern Hemisphere Tropical Cyclones (July 1982 through June 1984). NAVOCEANCOMCEN/JTWC TECH NOTE 86-1, 102 pp.

APPENDIX IV

PAST ANNUAL TROPICAL CYCLONE REPORTS

Copies of the past
Annual Tropical Cyclone Reports
can be obtained through:

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

Refer to the following acquisition numbers when ordering:

YEAR	ACQUISITION NUMBER
1959	AD 786147
1960	AD 786148
1961	AD 786149
1962	AD 786128
1963	AD 786208
1964	AD 786209
1965	AD 786210
1966	AD 785891
1967	AD 785344
1968	AD 785251
1969	AD 785178
1970	AD 785252
1971	AD 768333
1972	AD 768334
1973	AD 777093
1974	AD 010271
1975	AD A023601
1976	AD A038484
1977	AD A055512
1978	AD A070904
1979	AD A082071
1980	AD A094668
1981	AD A112002
1982	AD A124860
1983	AD A137836
1984	AD A153395
1985	AD A168284
1986	AD A184082
1987	AD A191883

UNCLASSIFIED
ECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

a. REPORT SECURITY CLASSIFICATION
UNCLASSIFIED

1b. RESTRICTIVE MARKINGS

a. SECURITY CLASSIFICATION AUTHORITY

b. DECLASSIFICATION / DOWNGRADING SCHEDULE

3. DISTRIBUTION / AVAILABILITY OF REPORT
AS IT APPEARS IN THE REPORT/
DISTRIBUTION UNLIMITED

. PERFORMING ORGANIZATION REPORT NUMBER(S)

5. MONITORING ORGANIZATION REPORT NUMBER(S)

a. NAME OF PERFORMING ORGANIZATION
NAVOCEANCOMCEN/JTWC

6b. OFFICE SYMBOL (*If applicable*)

7a. NAME OF MONITORING ORGANIZATION
NAVOCEANCOMCEN/JTWC

c. ADDRESS (*City, State, and ZIP Code*)
COMNAVMAR BOX 17
F.P.O. SAN FRANCISCO, CA 96630

7b. ADDRESS (*City, State, and ZIP Code*)
COMNAVMAR BOX 17
F.P.O. SAN FRANCISCO, CA 96630

a. NAME OF FUNDING / SPONSORING ORGANIZATION
NAVOCEANCOMCEN/JTWC

8b. OFFICE SYMBOL (*If applicable*)

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

c. ADDRESS (*City, State, and ZIP Code*)
COMNAVMAR BOX 17
F.P.O. SAN FRANCISCO, CA 96630

10. SOURCE OF FUNDING NUMBERS

PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO	WORK UNIT ACCESSION NO.

1. TITLE (*Include Security Classification*)
1988 ANNUAL TROPICAL CYCLONE REPORT

2. PERSONAL AUTHOR(S)

3a. TYPE OF REPORT	13b. TIME COVERED	14. DATE OF REPORT (*Year, Month, Day*)	15. PAGE COUNT
ANNUAL	FROM JAN 88 TO DEC 88	1988	216 PLUS i-x

6. SUPPLEMENTARY NOTATION

7. COSATI CODES		
FIELD	GROUP	SUB-GROUP
04	02	

18. SUBJECT TERMS (*Continue on reverse if necessary and identify by block number*)
TROPICAL CYCLONES — TROPICAL STORMS
TROPICAL DEPRESSIONS — TYPHOONS/SUPER TYPHOONS
TROPICAL CYCLONE RESEARCH — METEOROLOGICAL SATELLITE

9. ABSTRACT (*Continue on reverse if necessary and identify by block number*)

ANNUAL PUBLICATION SUMMARIZING TROPICAL CYCLONE ACTIVITY IN THE WESTERN NORTH PACIFIC, BAY OF BENGAL, ARABIAN SEA, WESTERN SOUTH PACIFIC AND SOUTH INDIAN OCEANS. A BEST TRACK IS PROVIDED FOR EACH SIGNIFICANT TROPICAL CYCLONE. A BRIEF NARRATIVE IS GIVEN FOR ALL TYPHOONS AND SELECTED TROPICAL CYCLONES IN THE WESTERN NORTH PACIFIC AND NORTH INDIAN OCEANS. ALL RECONNAISSANCE DATA USED TO CONSTRUCT THE BEST TRACKS ARE PROVIDED, UPON REQUEST, ON FLOPPY DISKETTES. FORECAST VERIFICATION DATA AND STATISTICS FOR THE JOINT TYPHOON WARNING CENTER (JTWC) ARE SUBMITTED.

20. DISTRIBUTION / AVAILABILITY OF ABSTRACT
☒ UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION
UNCLASSIFIED

22a. NAME OF RESPONSIBLE INDIVIDUAL
FRANK H. WELLS

22b. TELEPHONE (*Include Area Code*)
671-344-5240

22c. OFFICE SYMBOL
NOCC/JTWC

D Form 1473, JUN 86 — *Previous editions are obsolete.*

SECURITY CLASSIFICATION OF THIS PAGE
UNCLASSIFIED

BLOCK 18 (CONTINUED)

TROPICAL CYCLONE INTENSITY
TROPICAL CYCLONE BEST TRACK DATA
TROPICAL CYCLONE FORECASTING
TROPICAL CYCLONE RECONNAISSANCE
DYNAMIC TROPICAL CYCLONE MODEL
TYPHOON ANALOG MODEL
TROPICAL CYCLONE STEERING MODEL
CLIMATOLOGY/PERSISTENCE TECHNIQUES
TROPICAL CYCLONE FIX DATA
DRIFTING BUOYS